

Accuracy class: II

FHB Premium Gold weighing Balance Fabric Scale High Precision Balance

Scale platter material: Plastic with stainless steel pan. Units: g, ct, oz, dwt, gn, tola, tl 8 units (default, can do other units) Button: 5 buttons, [ON/OFF], [ZERO], [TARE], [UNIT], [PCS], [PRINT]. Minimal weighing: 1 division. Recommend weighing more than: 10 divisions. Display type: LED selectable Dual display optional. case-pack: 8pcs/ctn.

Factory: FUZHOU FURI ELECTRONICS CO., LTD Manufactured for TPS Corporation MADE IN CHINA





MODEL	FHB-H223	FHB-H323	
Capacity	220 g	320 g	
Division	0.001 g	0.001 g	
Verification scales interval	0.01 g	0.01 g	
Display	LCD		
Dimensions (LxDxH)	(370 x 255 x 165) mm		
Weighing pan (mm)	Ø 98 mm		
Weiging Unit	g, ct, oz, dwt, gn, tola, tl.T		
Power Supply	100-240V AC Adapter 10V/500mA		
Net weight	6 kg/8kg		



Accuracy class: II

FHB Premium Gold weighing Balance Fabric Scale High Precision Balance

Scale platter material: Plastic with stainless steel pan. Units: g, ct, oz, dwt, gn, tola, tl 8 units (default, can do other units) Button: 5 buttons, [ON/OFF], [ZERO], [TARE], [UNIT], [PCS], [PRINT]. Minimal weighing: 1 division. Recommend weighing more than: 10 divisions.

Display type: LED selectable Dual display optional. case-pack: 8pcs/ctn.

Factory: FUZHOU FURI ELECTRONICS CO., LTD Manufactured for TPS Corporation MADE IN CHINA



			T	
Print	the second	ONIOF		1
		Tare		

 $\widehat{\mathbb{A}} (\epsilon \otimes \mathbb{A}) \xrightarrow{} \langle \epsilon_{\mathsf{M}} \rangle$

MODEL	FHB300	FHB600	FHB1200	
Capacity	300 g	300 g 600 g		
Division	0.01 g	0.01 g	0.01 g	
Verification scales interval	0.02 g	0.02 g	0.02 g	
Display	LED			
Dimensions (LxDxH)	(260 x 185 x 90) mm			
Weighing pan (mm)	(120 x 135) mm			
Weiging Unit	g, ct, oz, dwt, gn, tola, tl.T			
Power Supply	100-240V AC Adapter 10V/500mA			
Net weight	2kg/3kg			



Accuracy class: II FHB Premium Gold weighing Balance Fabric Scale High Precision Balance

Scale platter material: Plastic with stainless steel pan. Units: g, ct, oz, dwt, gn, tola, tl 8 units (default, can do other units) Button: 5 buttons, [ON/OFF], [ZERO], [TARE], [UNIT], [PCS], [PRINT]. Minimal weighing: 1 division. Recommend weighing more than: 10 divisions. Display type: LED selectable Dual display optional. case-pack: 8pcs/ctn.

Factory: FUZHOU FURI ELECTRONICS CO., LTD Manufactured for TPS Corporation MADE IN CHINA





🌐 (f 🚯 🕐 💮 🚯

MODEL	FHB-EX2200	FHB-EX3200	FHB-EX3	FHB-EX6	FHB-EX10	
Capacity	2200 g	3200 g	3 kg	6 kg	10 kg	
Division	0.01 g	0.01 g	0.1 g	0.1 g	0.1g	
Verification scales interval	0.02 g	0.02 g	0.2 g	0.2 g	0.2 g	
Display	LED					
Dimensions (LxDxH)	(260 x 185 x 90) mm					
Weighing pan (mm)	(160 x 196) mm					
Weiging Unit	g, ct, oz, dwt, gn, tola, tl.T					
Power Supply	100-240V AC Adapter 10V/500mA					
Net weight	2kg/3kg					